[intro music]  Quidel logo animates in.  Quicklue At-Home COVID-19 Test [logo] and User Instructions (tittel appears. Transition to the 2-Count QuickVue At-Home COVID-19 Test product package, a prefilled tube, nasal swab, test strip and timer on a counter.  A disclaimer appears at the bottom of the screen: "Actual packaging and components may vary. For use under FDA Emergency Use Authorization (EUA) only."  Woman's hands washing with soap under running water.  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  Ariseliant of the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray. Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray. Instructional copy "Step 2 - Place Tube in a fube. Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray will look like this.  Transition to the User Instructions (accument. Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray. Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray will look like this.  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman inserts the swab awab wrapper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nos	Audio	Visual
QuickVue At-Home COVID-19 Test [logo] and User Instructions [title] appears. Transition to the 2-Count QuickVue At-Home COVID-19 Test product package, a prefilled tube, nasal swab, test strip and timer on a counter. A disclaimer appears at the bottom of the screen: "Actual packaging and components may vary. For use under FDA Emergency Use Authorization (EUA) only." Woman's hands washing with soap under running water.  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  Transition to the User Instructions document.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder, built into the tray. This will keep the tube secure while performing the test.  The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman peels open the swab wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ½ of an inch into the rostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  The procedure is the same. Rub both nostrils with		Quidel logo animates in.
Transition to the 2-Count QuickVue At-Home COVID-19 Test product package, a prefilled tube, nasal swab, test strip and timer on a counter.  A disclaimer appears at the bottom of the screen:  "Actual packaging and components may vary. For use under FDA Emergency Use Authorization (EUA) only."  Woman's hands washing with soap under running sanitizer.  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  Transition to the 2-Count QuickVue At-Home COVID-19 Test.  A disclaimer appears at the bottom of the screen: "Actual packaging and components may vary. For use under FDA Emergency Use Authorization (EUA) only."  Woman's hands washing with soap under running water.  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder, built into the tray. This will keep the tube Holder, built into the tray. This will keep the tube secure while performing the test.  The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder."  Transition to to 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 -		QuickVue At-Home COVID-19 Test [logo] and User
19 Test product package, a prefilled tube, nasal swab, test strip and timer on a counter.  A disclaimer appears at the bottom of the screen: "Actual packaging and components may vary. For use under FDA Emergency Use Authorization (EUA) only."  Woman's hands washing with soap under running water.  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and a Test Strip.  To begin running the test, select one prefilled tube from the tray and remove the cap. Now, place the open tube back in the hole labeled Tube Holder, built into the tray. This will keep the tube secure while performing the test.  Transition to a 25-test kit image to show 12 closed test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostriis" appears on screen as the woman peels open the woman then places the tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostriis" appears on screen as the woman peels open the tray.  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostriis" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube.  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostriis" appears on screen as the woman peels open the woman then places the tube in a hole within the tray.  Instructional copy "Step 3 - Swab the Nostriis" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube.  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 -		Instructions [title] appears.
swab, test strip and timer on a counter. A disclaimer appears at the bottom of the screen: "Actual packaging and components may vary. For use under FDA Emergency Use Authorization (EUA) only."  Before you start testing, wash your hands or use sanitizer.  Woman's hands washing with soap under running water.  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  The first step is to remove the content from the box and identify all of the components within the test tray  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  If you are performing a test from the 25-test kit, your tube tray will look like this.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab bead.  South of the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with		Transition to the 2-Count QuickVue At-Home COVID-
A disclaimer appears at the bottom of the screen: "Actual packaging and components may vary. For use under FDA Emergency Use Authorization (EUA) only."  Before you start testing, wash your hands or use sanitizer.  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  Instructional copy "Step 3 -		19 Test product package, a prefilled tube, nasal
This video provides step-by-step instructions on how to use the QuickYue Att-Home OTC COVID-19 Test.  Before you start testing, wash your hands or use sanitizer.  Woman's hands washing with soap under running water.  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  The first step is to remove the content from the box and identify all of the components within the test tray  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray. Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tray.  In woman then places the tube in a hole within the tray.  If you are performing a test from the 25-test kit, your tube tray will look like this.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  The package, test kit components and timer are shown on the counter, with instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to we user limited to the screen. "Test kit portrayed. Kit configuration may vary."  The package, test kit components and timer are shown on the counter, with instructional copy "Step 3 - Place Tube in a Tube Holder".  The package, test kit image to show out in the bottom right of the screen. "Test kit portrayed. Kit configuration may v		swab, test strip and timer on a counter.
to use the QuickVue At-Home OTC COVID-19 Test.  Before you start testing, wash your hands or use sanitizer.  Woman's hands washing with soap under running water.  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  The first step is to remove the content from the box and identify all of the components within the test tray including the step-by-step User Instructions, a Prefilled Tube, a Nasal Swab, and a Test Strip.  To begin running the test, select one prefilled tube from the tray and remove the cap. Now, place the open tube back in the hole labeled Tube Holder, built into the tray. This will keep the tube secure while performing the test.  To begin running the test strip inside.  To begin running the test, select one prefilled tube from the tray and remove the cap. Now, place the open tube back in the hole labeled Tube Holder, built into the tray. This will keep the tube secure while performing the test.  Transition to a 25-test kit inage to show 12 closed test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman peels open the wash washing with soap under running water.  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tway.  Transition to a 25-test kit image to show 12 closed test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman picks up a prefilled tube and twists the samb by to % of an inch into the		A disclaimer appears at the bottom of the screen:
Before you start testing, wash your hands or use sanitizer.  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  The first step is to remove the content from the box and identify all of the components within the test tray  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tube ray will look like this.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  Transition to due the swab war a face mask. The procedure is the same. Rub both nostrils with	This video provides step-by-step instructions on how	"Actual packaging and components may vary. For use
sanitizer.  Water.  The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  The first step is to remove the content from the box and identify all of the components within the test tray  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  To begin running the test, select one prefilled tube from the tray and remove the cap. Now, place the open tube back in the hole labeled Tube Holder, built into the tray. This will keep the tube secure while performing the test.  To begin running the test, select one prefilled tube from the tray and remove the cap. Now, place the open tube back in the hole labeled Tube Holder, built into the tray. This will keep the tube secure while performing the test.  The procedure is the same swab before proceeding.  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube.  The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman peels open the swab wrapper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.	to use the QuickVue At-Home OTC COVID-19 Test.	under FDA Emergency Use Authorization (EUA) only."
The package, test kit components and timer are shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  The first step is to remove the content from the box and identify all of the components within the test tray  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  If you are performing a test from the 25-test kit, your tube tray will look like this.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with	Before you start testing, wash your hands or use	Woman's hands washing with soap under running
shown on the counter, with instructional copy "Step 1 - Check Your Test Kit" appearing on screen.  The first step is to remove the content from the box and identify all of the components within the test tray  There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document.  Then, woman's hand removes the prefilled tube, nasal swab, and a Test Strip.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  It you are performing a test from the 25-test kit, your tube tray will look like this.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask.  The procedure is the same. Rub both nostrils with	sanitizer.	water.
The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the components within the test tray  The first step is to remove the components within the test tray  The first step is to remove the components within the test screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with		The package, test kit components and timer are
The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the content from the box and identify all of the components within the test tray  The first step is to remove the components within the test screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube.  The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask.  The procedure is the same. Rub both nostrils with		shown on the counter, with instructional copy "Step
and identify all of the components within the test tray  screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and a Test Strip.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray. Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with  Transition to the User Instructions document.  Transition to the User Instructions document.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tray.  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing		1 - Check Your Test Kit" appearing on screen.
and identify all of the components within the test tray  screen: "Test kit portrayed. Kit configuration may vary."  Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and a Test Strip.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray. Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with  Transition to the User Instructions document.  Transition to the User Instructions document.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tray.  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing		
tray including the step-by-step User Instructions, a Prefilled Tube, a Nasal Swab, and a Test Strip.  To begin running the test, select one prefilled tube from the tray and remove the cap. Now, place the open tube back in the hole labeled Tube Holder, built into the tray. This will keep the tube secure while performing the test.  Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray. Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray. A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with	· ·	
Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and a Test Strip.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to to 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with  Transition to the User Instructions document. Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to to touch the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.	and identify all of the components within the test	. ,
including the step-by-step User Instructions, a Prefilled Tube, a Nasal Swab, and a Test Strip.  Then, woman's hand removes the prefilled tube, nasal swab, and concealed test strip from the tray.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray. This will keep the tube secure while performing the test.  If you are performing a test from the 25-test kit, your tube tray will look like this.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with  Tasistion to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube.  The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman peels open the swab warpaper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  If you are swabbing others, please wear a face mask.  The procedure is the same. Rub both nostrils with	tray	,
Prefilled Tube, a Nasal Swab, and a Test Strip.  Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray. This will keep the tube secure while performing the test.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing		
Instructional copy "Step 2 - Place Tube in a Tube Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube. The woman then places the tube in a hole within the tray. This will keep the tube secure while performing the test.  The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman peels open the swab wrapper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing		•
To begin running the test, select one prefilled tube from the tray and remove the cap. Now, place the open tube back in the hole labeled Tube Holder, built into the tray. This will keep the tube secure while performing the test.  If you are performing a test from the 25-test kit, your are performing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  Holder" appears on screen as the woman picks up a prefilled tube and twists the cap to open the tube.  The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman peels open the swab wrapper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with	Prefilled Tube, a Nasal Swab, and a Test Strip.	·
To begin running the test, select one prefilled tube from the tray and remove the cap. Now, place the open tube back in the hole labeled Tube Holder, built into the tray. This will keep the tube secure while performing the test.  The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with		
from the tray and remove the cap. Now, place the open tube back in the hole labeled Tube Holder, built into the tray. This will keep the tube secure while performing the test.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with  The woman then places the tube in a hole within the tray.  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman peels open the swab wrapper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.		
open tube back in the hole labeled Tube Holder, built into the tray. This will keep the tube secure while performing the test.  If you are performing a test from the 25-test kit, your tube tray will look like this.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with  A closer look at hole within the tray shows the label "Tube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman peels open the swab wrapper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  If you are swabbing others, please wear a face mask.  The procedure is the same. Rub both nostrils with		•
into the tray. This will keep the tube secure while performing the test.    Tube Holder".		
rube Holder".  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman peels open the swab wrapper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  If you are swabbing others, please wear a face mask.  Transition to woman wearing a face mask, swabbing	<u> </u>	•
If you are performing a test from the 25-test kit, your tube tray will look like this.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  Iransition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman peels open the swab wrapper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  If you are swabbing others, please wear a face mask.  The procedure is the same. Rub both nostrils with  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to a 25-test kit image to show 12 closed test tubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.	•	•
tube tray will look like this.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with the same swab before the stubes and 1 opened test tube with a test strip inside.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing	performing the test.	
tube tray will look like this.  Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing	If you are performing a test from the 25 test kit your	
Now, open the Nasal Swab by peeling open the wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  Instructional copy "Step 3 - Swab the Nostrils" appears on screen as the woman peels open the swab wrapper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  If you are swabbing others, please wear a face mask.  The procedure is the same. Rub both nostrils with  Transition to woman wearing a face mask, swabbing	, , ,	·
wrapper and removing the swab by the handle. Be careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with appears on screen as the woman peels open the swab wrapper and pulls out the swab by its handle.  Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing		
careful not to touch the swab head.  Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with swab before procedure is the same. Rub both nostrils with swab and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing	7	
Gently insert the swab ½ to ¾ of an inch into the nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with Instructional copy "Step 3 - Swab the Nostrils" remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing		
nostril, depending on the size of your nose. Firmly rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with remains on screen as the woman inserts the swab and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing		
rub both nostrils with the same swab before proceeding.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with and swirls it inside her right nostril, then her left nostril.  Transition to woman wearing a face mask, swabbing	•	
proceeding. nostril.  If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with Transition to woman wearing a face mask, swabbing	, , , , , , , , , , , , , , , , , , , ,	
If you are swabbing others, please wear a face mask. The procedure is the same. Rub both nostrils with Transition to woman wearing a face mask, swabbing		_
The procedure is the same. Rub both nostrils with    Transition to woman wearing a face mask, swabbing		
		Transition to woman wearing a face mask, swabbing
the same swap before proceeding.   another wouldn't fillstills.	the same swab before proceeding.	another woman's nostrils.

With children or small adults, the maximum depth of insertion into the nostril may be less than ¾ of an inch.	Transition to another woman wearing a face mask, who pulls down a boy's mask and swabs his nostrils.  A disclaimer appears at the bottom of the screen:  "For ages 2 and up. For ages 2 to 14, an adult must perform the test."
Once you've collected the sample with the swab, immediately place the swab into the liquid inside the	Instructional copy "Step 4 - Place Swab in the Tube" appears on screen as the woman inserts the swab
tube and swirl 3 or 4 times.	into the prefilled tube and swirls.
After swirling, leave the swab in the tube for one minute. Set a timer for 1 minute.	Woman sets timer for 1 minute.  A disclaimer appears at the bottom of the screen:  "Leave the Swab in for 1 minute. If the swab is left in the solution for more than 10 minutes, it should not be used."
When 1 minute is complete, carefully remove the swab from the tube. As you remove it, rotate the swab head against the inner wall of the tube to squeeze out as much liquid as possible. Then, discard the swab into your household waste.	Instructional copy "Step 5 - Remove Swab from the Tube" appears on screen as the woman rotates the swab head against the inner wall of the tube to remove the liquid.  Woman disposes of the swab in the trash.
Next, open the test strip pouch carefully, tearing from the slit at the end of the wrapper and hold the test strip as indicated. Place the test strip into the tube with the arrows pointing downward.	Instructional copy "Step 6 - Open the Test Strip" appears on screen as the woman opens the test strip pouch and removes the test strip. She then inserts the test strip into the tube, with the arrows pointing downward into the tube.  Instructional copy "Step 7 - Place Test Strip in Tube" appears on screen.
Set a timer for 10 minutes. Leave the test strip in the tube for the full 10 minutes. Do not handle or remove the test strip before the 10 minutes is complete.	Woman sets timer for 10 minutes. A disclaimer appears at the bottom of the screen: "Set timer for 10 minutes."
	Instructional copy "Step 8 - Remove Test Strip from the Tube" appears on screen.  Woman removes the test strip from the tube and
At 10 minutes, remove test strip from the tube and	places it on the strip outline included on the User
place it on the strip outline included on the User	Instructions sheet.
Instructions sheet. The results should be read within	A disclaimer appears at the bottom of the screen:
5 minutes after the 10-minute timer stops. Invalid or inaccurate results may occur if the test strip is read	"Read results immediately after the 10-minute timer stops. Results should not be read more than 5
beyond the recommended 5-minute time period.	minutes after the timer has stopped."
The result of your test is displayed in the center area	Instructional copy "Step 9 - Check your Results"
of the test strip. Compare your results with the	appears on screen as the camera zooms in on the
diagrams on the User Instructions sheet.	image of the User Instruction guide.

A positive result is indicated by the presence of a blue line and a pink line. Look closely. Even a faint	Instructional copy "Step 10 - Check for a Positive COVID-19 Result" appears on screen. Display images
pink line is considered positive.	of a positive result.
A negative result is indicated by the presence of a blue line, without the presence of the pink line.  An invalid result is indicated if the blue line does not	Instructional copy "Step 11 - Check for a Negative COVID-19 Result" appears on screen. Display images of a negative result.
appear, even if a pink line appears. An invalid result also is indicated if you see no line. If the test is invalid, a new test should be performed.	Instructional copy "Step 12 - Check for an Invalid COVID-19 Result" appears on screen. Display images of an invalid result.
Discard your materials and begin again with a new Prefilled Tube, a new Swab and a new Test Strip.	Woman disposes of the test strip and tube in the trash. Transition to woman lifting another prefilled tube, swab and test strip from the tray.
Once you've completed performing the test, all the test components should be disposed of in your household waste.	Woman disposes of the test strip and tube in the trash.
	The package, test kit components and timer are shown on the counter.
Once you have the results of your QuickVue At-Home OTC COVID-19 Test, refer to your User Instructions or contact your Healthcare Provider for next steps.	There is a disclaimer in the bottom right of the screen: "Test kit portrayed. Kit configuration may vary."
	The package and test kit components are shown on a table.
For Customer Support in the United States, call (833-784-2588) or visit us at QuickVueAtHome.com.	The Customer Support phone number and website URL animate in. [Phone number] 833-Quickvue (833-784-2588) or [URL] QuickVueAtHome.com.
[Ending music]	Quidel logo animates in.  Transition to the legal disclaimers and copyright statements.
	Legal disclaimers and copyright statements appears on screen.  "The QuickVue At-Home OTC COVID-19 Test is
	intended for the qualitative detection of the nucleocapsid protein antigen from SARS-CoV-2 from individuals with or without symptoms or other epidemiological reasons to suspect COVID-19 when
[Legal Disclaimer]	tested twice over two or three days with at least 24 hours and no more than 36 hours between tests.

This home test is authorized for nonprescription home use with self-collected (unobserved) direct anterior nasal (NS) swab specimens from individuals aged 14 years and older or with adult-collected anterior NS samples from individuals aged 2 years or older.

This home test has not been FDA cleared or approved, but has been authorized by the FDA under an Emergency Use Authorization (EUA) for the detection of proteins from SARS-CoV-2, not for any other viruses or pathogens. The home test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Federal Food, Drug and Cosmetic Act, 21 U.S.C. § 360bbb-3(b)(1), unless authorization is terminated or revoked sooner.

### Legal Notice:

Copyright ©2021 Quidel Corporation. All rights reserved. Unless otherwise specified, all product and service names appearing in this Internet site are trademarks owned by or licensed to Quidel, its subsidiaries or affiliates. No use of any Quidel trademark, trade name, or trade dress in this site may be made without the prior written authorization of Quidel, except to identify the product or services of the company. By accessing, browsing and/or using this website, you acknowledge that you have read, understood, and agree to be bound by Quidel's Website Terms and Conditions, Privacy Policy, and to comply with all applicable laws and regulations. If you do not agree to these terms, do not use the website.

Additionally, this website contains information on products that is targeted to many different audiences and could contain product details or information otherwise not accessible or valid in your country. Please be aware that we do not take any responsibility for your accessing such information that may not comply with any legal process,

regulation, registration, or usage in the country of
your origin.
Copyright Quidel Corporation 2021"